25X1	CLASSIFICATION SECRET SECURITY INFORMATIC CENTRAL INTELLIGENCE AGENC INFORMATION REPO	CY REPORT NO.
COUNTRY East Gen	rmany	DATE DISTR. 29 September 1952
SUBJECT Tubes Processing	roduced and Developed by the MF Tele- cation Plant in Berlin-Oberschoenewei	NO. OF PAGES 7
CQUIRED		NO. OF ENCLS 25X1
NATE OF NFO.		SUPPLEMENT TO REPORT NO.
end 194. Of the U. S. Code, as an and 194. Of the U. S. Code, as an atten of its contents to on re	AND TOTAL OF THE SOURCE SERVICE SERVIC	ENERGE COPY
25X1		DO NOT CIRCULATE
product	andstrasse, Berlin-Oberschoonewa <u>ide. t</u> EAG plant in 1966, was discussed in in 1951 amounted to 78,000,000 ea in 1952, under the new plant. In ear	25X1 The total stmarks and this arount was to be
of h,500 the plan worked of the plan of the p available of capa percent Ray Tube Section, percal of tion was the tote were pa:	demployees and in late 1991 the plan at was scheduled to have 9,500 employed only in certain sections of the plant glant will be working in two shifts i be sachinery, which has previously be city. The quota fulfillment by the vaby the Radio Tube Section, 181.9 per compared to the Radio Section, 102 percent by 162.2 percent by the Radio Section. The low percentage of quotage caused by the loss of key technical all output of the plant at 1932.9 (sie id on the basis of this figure. In 1 luding failures in T-2 sets delivered	thad 6,400 employees. By late 1990, ees. Two shifts very previously but in 1952 practically all sections norder to utilize more fully the en utilized at less than 50 percent ricus sections of the plant was 153.5 cent by the Special Tube and Cathode the Filament ("elybdenum and Tungsten" ion and 39.6 percent by the Experical Tulfillrent by the Experimental Section of the guota standard percent of the quota at bonuses
of h, 500 the plan worked of the plan worked of the plan of capac percent Ray Tube Section, sectal of tion was the tota wore par not inci customer 2. The prod 10,139,5 expenses the Vacu and 5,25 eastmark the prod pairs. 1	demployees and in late 1991 the plan at was scheduled to have 9,500 employ only in certain sections of the plant will be working in two shifts i be machinery, which has previously be eachinery, which has previously be by the Radio Tube Section, 181.9 per a (CR Tubes) Section, 102 percent by the Radio Tube Section, 182.2 percent by the Radio Section. The loss percentage of quotassection. The loss percentage of quotases caused by the loss of key technical all output of the plant at 1932.9 (sich id on the basis of this figure. In 1 luding failures in T-2 sets delivered and the section materials used in the OST and the section materials used in the OST and the section the wares amounted to more 2,172,311 eastmarks in 1950 and 18,373,00 eastmarks in 1951. The SAC Kabe is for investments in 1951, The SAC Kabe is for investments in 1952, including metion of tubes, and an additional 60 n order to increase production, negotion Sebruary 1952, to take over the end.	thad 6,400 employees. By late 1997, ees. Two shifts vero previously but in 1952 practically all sections noter to utilize more fully the en utilized at less than 50 percent ricus sections of the plant was 155.5 cent by the Special Tube and Cathode the Filement ("elybdenum and Tungsten" ien and 39.6 percent by the Experimental Sections of the guota and bonuses. personnel. The SAG Kabel estimated ) percent of the quota and bonuses 95%, 1.7 percent of the tubes delivered to the USSR, were returned by  THE sections of the plant cost eastmarks in 1951. The charal of 2,233,449 castmarks in 1950. In 0.2,557,500 castmarks in 1950 est appropriated only 1,000,000 600,000 to 800,000 eastmarks for 500,000 eastmarks for peneral re-

## BEST COPY Available

SECRET

- 2 .

25X1

25X1

3 ა	At a conference held at the plant in mid-February, Ger (fnu) announced the following final production quotas	neral Mana for 1752:	ig <b>e</b> r Yesako
	Radio tubes (45,000 are for T-2 TV sets and the rest are for the Soviet Zone of Germany)	2,500,000	tubes
	9-inch CR tubes (45,000 are for T-2 TV sets and the rest are for the U.S.S.R.)	135,000	tutes
	7-inch CR tubes for the U.S.S.R.	20,000	tubes
	Oscillograph tubes (2 - Ray tubes similar to type AEG 2068 B)	1,000	tubes
	Various oscillograph tubes for the Soviet Zone of Germany	1,000	tube <b>s</b>
	Metal-ceramic tubes (50,000 are for the U.S.S.A. and 5,000 are for the Sachsenwerk in Radeborg)	55,000	tubos
	Sun lamp elements (Hoehensennen-Leuchtkozmanner) PRK 2 (200 watts)	12,000	units
	Sun lamp elements PRK 4 (120 watts) (for sun lamp treatment in Soviet mines and districts lacking sunshine)	6,000	units
	MERT light tubes (Leuchtroehren)	10,000	tubes
	The production schedules for 1953 and 1954 were as fol	lovs:	

	1953	1254
Radio tubes	(not yet	established)
Metal-ceramic (MK) tubes	150.000	500,000
9-inch CR tubes	250,000	500,000
7-inch Ca tubes	50,000	50,000
Oscillographs tubes (according to pattern)	50,000	50,000

(القارقين والما

Ceneral Manager Yesakov further stated that two camples and technical opecifications for the oscillograph tubes, which are similar to the AEG 2068 B type, had arrived from the U.S.S.R. He said that workshops and machinery would be planned on the basis of the production scheduled for 1953 and 195h. (2)

25X1

<sup>5.</sup> Data extracted in february 1952 from a report forwarded to Dr. Schiller, concerning the productive empacity for metal-ceramic (MK) tubes, indicated that the menthly production of the welding machines for MK-tubes, working two shifts, was 7,500 items. This capacity cannot be increased without new machineny. The productive capacity for cathodes for IK-tubes was 9,000 items per menth. The capacity of the special tube pump which was also used in the production of MK-tubes was 15,000 pieces per month. The capacity of the test field was 7,500 items per month. In order to increase the capacity of the IM (lant, test transmission are (Pruefsender) were manufactured by EFFM.

23 -

- 6. Starting in late February 1952, the new Soviet plant management attempted to reduce the number of faulty CR tubes by improving methods and by issuing new acceptance specifications. Also, the settling process (Setteltechnik) was changed to the rapid settling method (Schnellabsetzmethode), which reduced the time required for this process to 90 minutes. The quality of the grids, especially their resistance against burning out, was considerably improved by this procedure. Not only the cathode components, but also other components to be built-in, were vacuum annealed to achieve a longer service life.
- 7. The 1950 development project of the HF plant included the development of carrier frequency transmission installations and accessories (Zusatzeinrichtung) for carrier frequency telephones for the power generating industry; development of coupling equipment for EVT, development of EVT one--side band sets (Einseitenbandgeraeten), remote control devices, development of a 12 (20)-channel carrier frequency telephone system for no-load cables (unbelastete Kabelleitungen); conversion of already laid cables to the U--system, development and construction of test equipment for audio-frequency long distance selectors (Tonfrequenz Fernwahl), development of an audio--frequency call transformer (Rufumsetzers), development of a teletype using sheet paper (Blattschreiber) and a simplified teletype machine, work on impulse code modulation based on the article "An Experimental Multi-channel Pulse-Code Modulation System of High Quality" by L.A. Meachem and E. Petersen; and development of a working calibration circuit (Arbeitsercakreis). Development projects for 1951 included work on remote control installations, a coupling filter for EWT equipment, an all purpose amplifier, transmission level recording equipment (Pegelbildgeraet), radio amplifier frame (Rundfunkverstaerkergestell), superheterodyne adapter (Teberlagerungsvorsatz), a sound voltmeter (Geraeuschspannungsmesser), a voltage analyzer for frequency analysis and impulse code modulation. The laboratory for oscillation quartzes, which was closed after several experts went to West Germany, was taken over in June 1931 by Dr. Bauer (fnu). A search was being made for crystal grinders in order to start production in this laboratory (4)

a conference concerning the production of oscillation quartzes was held at the HF plant on 14 June 1951. Those present at the conference were R. Mueller, manager of the HF plant; Lorentz (fhu), managing engineer of the HF plant; Dr. Eckart (fnu), chief of the HF experimental plant; Graduate Engineer Fischer (fnu), plant manager of the VEB Carl Zeiss; and a high-ranking police official who amounced that orders for about 100,000 oscillation quartzes would be placed in the near future. It was stated that despite the departure of Dr. Weihe (fnu) and Dr. Gerber (fnu) the lois firm still had a number of experts who would be able to maintain mass production of oscillation quartzes. Since two of the WF plant specialists on tuning (Abstimmen) oscillation quartzes went to West Jennary in mid-1951, it was arranged that the Zeiss firm would also tune the quartzes. The equip- 25X1 ment required for this work was to be supplied to the Zeiss firm by the HF Plant. Another topic discussed at this conference was the shortage of quartzerystals. The Zeiss firm had received 87 kg of quartz

9. The IF experimental laboratory was building equipment worth 80,000 eastmarks for the Zeiss firm. This equipment was to be used for drilling holes in drawing diamonds by the use of electronic probes (Electronensonde). Tests on small glass plates were said to have been successful.

SECRET

25X1

25X1

25X1

25X1

RCA (Radio Corporation of America) tubes had been the principal item produced by the Tube Section. after the experimental development of the tubes was completed, all documents, drawings, production specifications and samples were compiled by the section which had worked on the development and wore then prepared by the Publication Section to be sent to the U.S.S.R. 25X1 all tubes had to be exact duplicates of, and interchangeable with, the patterns, both mechanically and electrically and that minor deviations from the standard design were permissable only if all the electric qualities were retained. Because of their enormous requirements, the Soviets insisted on a permanent increase in the production of certain types. For example, they demanded a monthly production of 3,500 6AC7 type tubes and 1,000 6 AG7 type tubes. The return of types already sent to Hoscow was also discussed. The adviser on glass tubes was Najor Cherepnin (fmu), a graduate engineer and an expert on tubes who was familiar with the RCA methods and had all the necessary RCA documents. His superior was Major Mildgrube (fnu) who came from one of the Bultic countries and was relieved in early 1949, allegedly because of profiteering. His interpreter and secretary was Captain Verenkov (fmu).

- 11. The development orders submitted in 1951 were estimated at 9,800,000 eastmarks. A total of 127 development orders, which were called planning-subject tasks (Themonplanaufgaben), were received in 1952. Of this total, 54 originated with the Soviets.
- 12. Further development of various RCA-type tubes for TV purposes was to be completed by late 1957. Orders received prior to early February included the development of the 616, 6 AL 5, 6AC5, 6X4, and 6AK 5 types.
- 13. In February 1952, laboratory samples of the L-cathode were used in making tests to establish the permissible variations. The 1-cethode was also thoroughly tested and completed for production at the same time. A test cathode for the LD 12, which was subjected to a load of 200 milliamperes achieved a service life of 1,500 hours under these tests. Decause the tungsten in the cathode vaporized extensively, the tube-researchers concluded that insulation defects resulting from the vaporization, as well precipitation on the walls of the tubes, would possibly result in variations of capacity and the so-called S-effect, and therefore believed that it might be necessary to redesign the tutes. It was planned to equip metal-ceramic tubes and laver, high-load rectifier tubes, such as those used in electronic controls, with L-cathodes. A specialist attempted to sinter rhenium by a process similar to that used for tungsten. (6)
- 14. The delivery of stabilizers, which would work even in moving vehicles, was urgently demanded by the Sachsenwark in Radeberg. Of the requirements to be met, stabilizers with glass bulbs were refused and the development of metallic stabilizers was urged. (7)
- 15. The HBO-1000 type lamp, a water-cooled, extreme pressure, point light tube (Hoschottwich-Punklicht-Lampe), with an inner bulb of quarts and an outer bulb of hardened class, was not yet in production in early 1952. The development of this lamp was ordered by the planning officials of the AS.S.R. and the Soviet Zone of Germany in 1950. It was initiated by advisers Thien (fmu) and Kopeck (fmu). The development was registered at the plant as a Soviet project which, however, was financed by the Gorman Government. In 1951, eight persons worked exclusively on the development of this lamp, a serice life of about 500 hours was attained. Six samples were delivered to the State Planning Commission and six more were sent to the Film Development Institute in Babelsberg. date, no preparations for the production of this last have been made. The necessary investments were estimated at 40,000 to 50,000 eastmarks. A total of 100 lamps of HEC-500-type were produced per month,
- 16. Dr. Birgel (fnu), director of the Seri-Conductor Cost Department (Kostenstelle--Malbleiter) was responsible for the development of transistor (Transitoren).

- 5 -

25X1

He tried to develop an n-p-n junction-germanium-transistor but failed to discover the correct impurity degree of germanium. In January 1952, the plant therefore ordered a study of the technical literature on semi-conductors which was available at the America Pouse.

- 17. The HF Plant received an order to construct 20 television sets of the latest design for the U.S.S.R. (8)
- 11. Zero-slot (Rullschlitz) magnetron tubes 2332 A and 2332 B were manufactured as components of the field-intensity measuring instruments which were being developed and produced at the plant. Magnetron LMS 1000, of which a specified number was to be built, was developed by Steimel (fmu), Fritz (fmu) and Vinzellerg (fmu) in 1944. (9)
- 19. The Soviet planning order for the development of a 2-ray CR oscillograph, with an amplifier for 20 cycles to 50 kcs and with a writing speed of 50 km/s, was completed in early 1952.
- 20. The following directions concerning the handling of Soviet orders were issued: The preliminary drafts of these orders must be submitted to the Soviet management of the plant concerned about three months before the beginning of each calendar year. The actual orders are to be placed before late February and all specifications concerning the order must be submitted at the same time. The Soviet orders are not considered as being completed until the final reports were written in Cerman. These reports were translated in Moscow. These reports were translated into Russian at the plant, only in cases where it was absolutely certain that production of the items concerned was to be estrict out in Soviet Zone plants. Questions by the plants concerning the Soviet orders were answered by Moscow within about two weeks if the questions concerned development work. questions concerning production, such as requests for permission to use substitute materials or to change the acceptance specifications, were answered in about four weeks. If the plant refused orders because of insufficient capacity, the orders enabling the plant to increase their capacity were not received for at least eight wee's after the refusal,
- 21. In February 1952, general ranger Tesakov issued an order that no export orders could be refused because of insufficient capacity. Te especially insisted on increased exports of water-cooled transmitter tubes to satellite countries. (Ac)
- 22. The Hescho-Kahla Plant was ordered to produce metal ceramics for the 1952 metal—ceramic (rK) tube program. Luminous material (Leuchtstoff) for the 1952 CA tube production program was supplied by the RFT Leuchtstoffwork in Bad Lieben—stein, lowever, this plant was only able to supply balf of the required material in granulated form and the remainder was settling material (settlibarer Leucht—stoff). During the period from 25 to 20 February, about 950 to 20 Pebruary purchased by the plant

  P 2 iron was also received from the fence from and Steedworks, Ltd., in Vickode. In an attempt to alleviate the permanent shortage of material, the rolling mills in Tuerhammer were allegedly ordered by the Einistry to produce P 2 iron
- [1] In 1971, it was still possible to equip the F 50 tube with leaters of the LS 3 Telefunken tube, which were still available. The plant production of heaters resulted in considerable waste. The insulating mass became brittle during the sintering process and the tungsten filaments were of poor quality because part of the tungsten acid had to be obtained from impure tungsten waste. The RFT Earliner Glueblampenwerk (Incandescent Lamp Works) was faced with the same difficulties. Attempts were made to obtain tungsten filaments from Austria via Switzerland or Sweden. The RFT Plant in Erfort allegedly received tungsten filaments in this manner.

24.	Fireproof	tubes fo	r tempera	tures up	to 1.600	) decrees	centigrade,	are a san a d	25
		O COLLO CO	ser in me	producti	on of tu	bes. were	e sucrificate,	required To Tal	TOP
_	wanger fir	m in Due	sseldorf[					· · · · · · · · · · · · · · · · · · ·	11011

25X1

Tubes manufactured in the under the tage of fidlit or Perolan, were usable only at temperatures not exceeding 1,100 degrees centigrade. The Fescho-Kahla Flant was therefore ordered to develop fireproof tubes. (12)

SECRET

25X1

SECRET

**ILLEGIB** 

<u> 6 </u>

25X1

- 27. In February 1992, two Boviet angineers arrived at the plant to obtain information. Isakov (fnu) inspected the radic tube manufacturing section, Griorgieff (fnu) was interested in the production of CR tubes and gave advice on production methods, thus indicating that he was an expert. The Soviets were not interested in experimental work. The plant was also inspected by visitors from China, Hungary and Poland, in groups of 5 to ?. By order of the plant management, these visitors had free access to all sections of the plant and were given any information they wanted but they were not given any documents. (15)
- 28. Copies were made of a letter from the technical planning section, dated 25 January 1952, concerning the increase in the production per worker in 1951 as compared with Pecember 1950, and of a letter, dated 28 January 1952, from the management of the experimental station to Director Reimann (fnu) and Director Rueller (fnu). (16)

SECRET

25X1

25X1

25X1

25X1

25X1

25X1

25X1

25X1

25X1

Next 6 Page(s) In Document Denied